INDEX TO VOLUME XLIII

AUTHORS

Page

Abdullah, M., B. J. Catley, E. Y. C. Lee, J. Robyt, K. Wallenfels, and W. J. Whelan. The mechanism of carbohydrase action. XI. Pullulanase, an enzyme specific for the hydrolysis of alpha-1→6-bonds in amylaceous oligo- and polysaccharides 111
——— (see D. French) 555
Albrecht, W. J., G. C. Mustakas, and J. E. McGhee. Rate studies on atmospheric steaming and immersion cooking of soybeans . 400

Banasik, O. J. (see D. G. Medcalf) 675
Beckwith, A. C., H. C. Nielsen, J. S. Wall, and F. R. Huebner. Isolation and characterization of a high-molecular-weight protein from wheat gliadin 14
Bellard, Nancy J. (see D. A. Fellers) 715
Bloksma, A. H. Extraction of flour by mixtures of butanol-1 and water 602
Bly, D. A. (see I. A. MacDonald) 571
Bowie, Sheila MacL. (see W. F. Sollars) 244
Bradley, W. B. (see F. N. Hepburn) 271
Brekke, O. L. Corn dry-milling: a comparison of several procedures for tempering low-moisture corn 303
Brelsford, D. L. (see K. J. Goering) 127
Brobst, K. M., and C. E. Lott, Jr. Determination of some components in corn syrup by gas-liquid chromatography of the trimethylsilyl derivatives 35
Burger, W. C., N. Prentice, Jeannine Kastenschmidt, and J. D. Huddle. Partial purification of proteases from germinated barley 546

Cadmus, M. C., L. G. Jayko, D. E. Hensley, Helen Gasdorf, and K. L. Smiley. Enzymatic production of glucose syrup from grains and its use in fermentations ... 658

Page

Cagampang, Gloria B., Lourdes J. Cruz, S. G. Espiritu, R. G. Santiago, and B. O. Juliano. Studies on the extraction and composition of rice proteins 145
Calhoun, W. K. (see F. N. Hepburn) 271
Cartter, J. L. (see O. A. Krober) . 320
——— (see A. K. Smith) 261
Catley, B. J. (see M. Abdullah) .. 111
Cayle, T., and F. Viebrock. The application of Mathews' formula in enzymatic starch conversions . 237
Chen, C-H. (see C. C. Lee) 695
Clayton, J. W. The extraction and ion-exchange chromatography of buffer-soluble and gluten proteins of wheat flour 495
Cluskey, J. E., and Y. V. Wu. Optical rotatory dispersion of wheat gluten, gliadin, and glutenin in acetic acid and aluminum lactate systems 119
Cole, E. W., Verna Helmke, and J. W. Pence. Alpha-keto acids in bread pre-ferments 357
Conway, H. F. (see E. B. Lancaster) 637
——— (see E. B. Lancaster) . 689
Cotton, R. H. (see J. G. Ponte, Jr.) 475
Cruz, Lourdes J. (see Gloria B. Cagampang) 145

Dahle, L. K., and R. S. Hinz. The weakening action of thioctic acid in unyeasted and yeasted doughs 682
——— (see Betty Sullivan) ... 373
Dawson, Elsie H. (see Ruth H. Matthews) 538
DeStefanis, V. A. (see J. G. Ponte, Jr.) 475

Espiritu, S. G. (see Gloria B. Cagampang) 145

Farkas, G. L. (see G. R. Honold) . 517
Fellers, D. A., V. Sinkey, A. D. Shepherd, and J. W. Pence. Solubilization and recovery of protein from wheat millfeeds .. 1

———, **A. D. Shepherd, Nancy J. Bellard, and A. P. Mossman.** Protein concentrates by dry milling of wheat millfeeds 715
Ferrel, R. E., A. D. Shepherd, R. Thielking, and J. W. Pence. Moisture equilibrium of bulgur 136
———, ———, ———, and ———. Gun-puffing wheat and bulgur 529
French, D., and M. Abdullah. Transferase activity in malt amylase preparations 555

Gasdorf, Helen (see M. C. Cadmus) 658
Gilles, K. A. (see D. G. Medcalf) . 675
——— (see W. C. Shuey) 94
Glass, R. L. (see C. E. Stauffer) .. 644
Goering, K. J., and D. L. Brelsford. New starches. I. The unusual properties of the starch from Saponaria vaccaria 127
Gramera, R. E., J. Heerema, and F. W. Parrish. Distribution and structural form of phosphate ester groups in commercial starch phosphates 104
Grossman, S. (see J. Weil) 392

Hall, V. L., and J. R. Johnson. A revised starch-iodine blue test for raw milled rice 297
Heerema, J. (see R. E. Gramera) . 104
Helmke, Verna (see E. W. Cole) . 357
Hensley, D. E. (see M. C. Cadmus) 658
Hepburn, F. N., W. K. Calhoun, and W. B. Bradley. The biological availability of essential amino acids in wheat, flour, bread, and gluten 271
Hesseltine, C. W. (see Hwa L. Wang) 563
Hester, E. Elizabeth (see Elizabeth M. Upton) 156
Hinz, R. S. (see L. K. Dahle) ... 682
Honold, G. R., G. L. Farkas, and M. A. Stahmann. The oxidation-reduction enzymes of wheat. I. A qualitative investigation of the dehydrogenases 517
Houston, D. F. (see Mary A. Stevan) 353
Huber, C. N., H. Scobell, and H. Tai. Determination of saccharide distribution of corn syrup by direct densitometry of thin-layer chromatograms 342
Huddle, J. D. (see W. C. Burger) . 546
Huebner, F. R., and J. S. Wall. Improved chromatographic separation of gliadin proteins on sulfoethyl cellulose 325
——— (see A. C. Beckwith) .. 14

Ingle, T. R. (see R. L. Whistler) .. 362
Isnardi, P. (see A. K. Smith) 261

Jayko, L. G. (see M. C. Cadmus) . 658
Johnson, J. A. (see T. Morimoto) . 627
Johnson, J. R. (see V. L. Hall) ... 297
Johnson, R. M. Flour disk reflectance as a measure of breadmaking quality 461
Juliano, B. O. (see Gloria B. Cagampang) 145
Jurriens, G., J. H. Recourt, and Aagje H. Klootwijk. Analysis of calcium salts of fatty acid-lactic acid condensates 669

Kastenschmidt, Jeannine (see W. C. Burger) 546
Kaul, A. K. (see F. W. Sosulski) .. 623
Kelley, J. J., and R. Pressey. Studies with soybean protein and fiber formation 195
Kent, N. L. Subaleurone cells of high protein content 585
Kim, Y. S. A rapid method to determine percent fermentables .. 313
Kloek, M. (see P. W. Voisey) 408, 420, 433, 438
Klootwijk, Aagje H. (see G. Jurriens) 669
Knapp, Cheryl (see D. K. Mecham) 226
Kogan, L., and S. Strezleck. Detection of triethyl citrate and triacetin in liquid and dried egg whites 470
Krober, O. A., and J. L. Cartter. Relation of methionine content to protein levels in soybeans .. 320
——— (see A. K. Smith) 261
Kwolek, W. F. (see M. J. Wolf) .. 43
——— (see W. J. Wolf) 80

Lamb, Mina W., Jonnie M. Michie, and Jerry M. Rivers. A comparison of the nutritive value of three sorghum grains with that of wheat 447
Lancaster, E. B., H. F. Conway, and F. Schwab. Power-law rheology of alkaline starch pastes . 637
———, **K. J. Moulton, and H. F. Conway.** Kinetics of acid modification: starch and wheat flour . 689
Lee, C. C., and C-H. Chen. Studies with radioactive tracers. IX. The fate of sucrose-^{14}C during breadmaking 695
——— (see Y. H. Liau) 706
Lee, E. Y. C. (see M. Abdullah) .. 111

Liau, Y. H., and C. C. Lee. Studies with radioactive tracers. X. The fate of glycine-1-^{14}C during breadmaking 706
Lott, C. E., Jr. (see K. M. Brobst) . 35

MacDonald, I. A., and D. A. Bly. Determination of optimal levels of several emulsifiers in cake mix shortenings 571
Matsumoto, H. (see D. Yoshino) .. 187
Matthews, Ruth H., and Elsie H. Dawson. Performance of fats in white cake 538
McCalla, A. G. (see S. C. Verma) . 28
McCarthy, J. R. (see M. J. Wolf) . 43
McGhee, J. E. (see W. J. Albrecht) 400
Mecham, D. K., and Cheryl Knapp. The sulfhydryl content of doughs mixed under nitrogen 226
Medcalf, D. G., E. E. Tombetta, O. J. Banasik, and K. A. Gilles. A rapid procedure for alpha-amylase determination in malt . 675
Meredith, O. B., and J. J. Wren. Determination of molecular-weight distribution in wheat-flour proteins by extraction and gel filtration in a dissociating medium 169
Michie, Jonnie M. (see Mina W. Lamb) 447
Miller, H. (see P. W. Voisey) 408, 420, 433, 438
Mittag, T. W. (see R. L. Whistler) 362
Mohsenin, N. N. (see Leora Shelef) 347
Morimoto, T., and J. A. Johnson. Studies on the flavor fraction of bread crust adsorbed by cation exchange resin 627
Mossman, A. P. (see D. A. Fellers) 715
Moulton, K. J. (see E. B. Lancaster) 689
Mustakas, G. C. (see W. J. Albrecht) 400

Nielsen, H. C. (see A. C. Beckwith) 14
Novacek, E. J., C. F. Petersen, and A. E. Slinkard. A separation of anatomical parts of barley from the by-products of barley pearling 384

Parrish, F. W. (see R. E. Gramera) 104
Pence, J. W. (see E. W. Cole) 357
_____ (see D. A. Fellers) 1
_____ (see R. E. Ferrel) 136
_____ (see R. E. Ferrel) 529
Perten, H. A colorimetric method for the determination of alpha-amylase activity (ICC method) . 336
Petersen, C. F. (see E. J. Novacek) 384
Pinsky, A. (see J. Weil) 392
Pominski, J. (see E. F. Schultz, Jr.) 284
Ponte, J. G., Jr., S. T. Titcomb, V. A. DeStefanis, and R. H. Cotton. Effect of hexane in doughs made with different flours, with and without added fat 475
Prentice, N. (see W. C. Burger) .. 546
Pressey, R. (see J. J. Kelley) 195

Rackis, J. J. (see A. K. Smith) ... 261
Recourt, J. H. (see G. Jurriens) .. 669
Rivers, Jerry M. (see Mina W. Lamb) 447
Robyt, J. (see M. Abdullah) 111

Santiago, R. G. (see Gloria B. Cagampang) 145
Schultz, E. F., Jr., J. Pominski, and T. Wasserman. Sources of variability in laboratory milling yields of long-grain rice-drying experiments 284
Schwab, F. (see E. B. Lancaster) . 637
Scobell, H. (see C. N. Huber) 342
Shelef, Leora, and N. N. Mohsenin. Moisture relations in germ, endosperm, and whole corn kernel 347
Shepherd, A. D. (see D. A. Fellers) 1
_____ (see D. A. Fellers) 715
_____ (see R. E. Ferrel) 136
_____ (see R. E. Ferrel) 529
Shuey, W. C., and K. A. Gilles. Effect of spring settings and absorption on mixograms for measuring dough characteristics 94
Sinkey, V. (see D. A. Fellers) 1
Slinkard, A. E. (see E. J. Novacek) 384
Sly, Dayle Ann (see W. J. Wolf) .. 80
Smiley, K. L. (see M. C. Cadmus) . 658
Smith, A. K., J. J. Rackis, P. Isnardi, J. L. Cartter, and O. A. Krober. Nitrogen solubility index, isolated protein yield, and whey nitrogen content of several soybean strains 261
Sollars, W. F., and Sheila MacL. Bowie. Effect of the subfractions of starch tailings on cookie diameter 244
Sosulski, F. W., and A. K. Kaul. A note on the inheritance of sedimentation value in two wheat crosses 623
Stahmann, M. A. (see G. R. Honold) 517
Stauffer, C. E., and R. L. Glass. The glycerol ester hydrolases of wheat germ 644
Stevan, Mary A., and D. F. Houston. A note on polar and nonpolar lipids in hard red spring and hard red winter wheat flours 353

Strezleck, S. (see L. Kogan) 470
Sullivan, Betty, and L. K. Dahle. Disulfide-sulfhydryl interchange studies of wheat flour. I. The improving action of formamidine disulfide 373

Tai, H. (see C. N. Huber) 342
Thielking, R. (see R. E. Ferrel) .. 136
Thielking, R. H. (see R. E. Ferrel) 529
Tipples, K. H. (see R. Tkachuk) .. 62
Titcomb, S. T. (see J. G. Ponte, Jr.) 475
Tkachuk, R. Amino acid composition of wheat flours 207
———. Note on the nitrogen-to-protein conversion factor for wheat flour 223
———, **and K. H. Tipples.** Wheat beta-amylases. II. Characterization 62
Tombetta, E. E. (see D. G. Medcalf) 675
Tsen, C. C. A note on effects of pH on sulfhydryl groups and rheological properties of dough and its implication with the sulfhydryl-disulfide interchange 456
———. Effects of sulfhydryl-blocking agents and flour improvers on gassing power, yeast activity, and some flour enzyme systems 486

Upton, Elizabeth M., and E. Elizabeth Hester. Nonstarchy polysaccharides and proteins of soft wheat flour tailings 156

Verma, S. C., and A. G. McCalla. Enzymatic hydrolysis of dispersed wheat gluten 28
Viebrock, F. (see T. Cayle) 237
Voisey, P. W., H. Miller, and M. Kloek. An electronic recording dough mixer
I. The apparatus 408
II. An experimental evaluation 420
III. Additional methods of recording 433
IV. Applications in farinography 438

Wall, J. S. (see A. C. Beckwith) .. 14
———. (see F. R. Huebner) .. 325
Wallenfels, K. (see M. Abdullah) . 111
Wang, Hwa L., and C. W. Hesseltine. Wheat tempeh 563
Wasserman, T. (see E. F. Schultz, Jr.) 284
Weil, J., A. Pinsky, and S. Grossman. The proteases of the soybean 392
Whelan, W. J. (see M. Abdullah) . 111
Whistler, R. L., T. W. Mittag, and T. R. Ingle. Mechanism of starch depolymerization with chlorine . 362
Wolf, M. J., W. F. Kwolek, and J. R. McCarthy. Quantitative microscopic evaluation of endosperm breakdown in conditioned hard red winter wheat 43
Wolf, W. J., Dayle Ann Sly, and W. F. Kwolek. Carbohydrate content of soybean proteins ... 80
Wren, J. J. (see O. B. Meredith) .. 169
Wu, Y. V. (see J. E. Cluskey) 119

Yoshino, D., and H. Matsumoto. Colloid titration of wheat proteins, dough, and flour 187

SUBJECTS

Page

Absorption
Effect of, on mixograms (Shuey and Gilles) 94
Of water by flour, from mixtures with butanol-1 (Bloksma) . 602
Acid(s)
Amino, see **Amino acids**
Fatty, see **Fatty acids**
Keto (alpha-), in bread pre-ferments (Cole, Helmke, and Pence) 357
Lactic; condensates of (fatty acid-); analysis of calcium salts of (Jurriens, Recourt, and Klootwijk) 669
Thioctic; weakening action of, in doughs (Dahle and Hinz) .. 682
Acid-modified flour and corn starch; kinetics (Lancaster, Moulton, and Conway) 689
Alpha-amylase, see **Amylase, alpha-**
Amino acid(s) (see also individual amino acids)
In amylase, beta- (wheat) (Tkachuk and Tipples) ... 62
Availability in wheat, flour, bread, and gluten (Hepburn, Calhoun, and Bradley) 271
In flour; composition (Tkachuk) 207
In gluten (crude whole) and pre-

cipitates from enzyme digests (Verma and McCalla) 28
Proline; reaction with glucose producing bread-crust flavor (Morimoto and Johnson) . . 627
In rice proteins (Cagampang, Cruz, Espiritu, Santiago, and Juliano) 145
In soybeans; methionine content vs. protein levels (Krober and Cartter) 320
Amylase, alpha-
Activity; colorimetric method for detn. (Perten) 336
From Bacillus subtilis (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) 658
Detn. in malt; rapid (falling number) method (Medcalf, Tombetta, Banasik, and Gilles) . 675
Malt preparations of; transferase activity in (French and Abdullah) 555
Amylase, beta-; characterization (Tkachuk and Tipples) 62
Amyloglucosidase, for starch conversion by Mathews' formula (Cayle and Viebrock) . . . 237
Amylograph studies; viscosities, vs. Brookfield (Lancaster, Conway, and Schwab) 637
Amylopectin, see **Starch,** Corn, amylopectin fraction
Apparatus
For flour disk reflectance to measure breadmaking quality (Johnson) 461
For gun-puffing of wheat and bulgur (Ferrel, Shepherd, Thielking, and Pence) 529
Mixer, electronic recording (Voisey, Miller, and Kloek) 408, 420, 433, 438
Aspergillus, glucoamylase production by (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) 658

Baking quality of flour
Effect on, of formamidine disulfide (Sullivan and Dahle) . 373
Flour disk reflectance as measure (Johnson) 461
Baking tests
Bread, see **Bread and breadmaking**
Cake, see **Cake** entries
Barley, anatomical parts of, separation from by-products of pearling (Novacek, Petersen, and Slinkard) 384
Malt; see entries under **Malt**
Proteases from (germinated); purification (Burger, Prentice, Kastenschmidt, and Huddle) 546
Beta-amylase, see **Amylase, beta-**
Biological value, see **Nutritive value**
Bleaching of flour, with chlorine; mechanism of starch depolymerization (Whistler, Mittag, and Ingle) 362
Bread and breadmaking (wheat unless specified); see also succeeding **Bread** entries; **Baking; Dough**
Amino acids in; availability (Hepburn, Calhoun, and Bradley) 271
Browning reaction in (Morimoto and Johnson) 627
Continuous-mix, see **Continuous-mix process of breadmaking**
Effect of hexane in doughs (Ponte, Titcomb, DeStefanis, and Cotton) 475
Keto (alpha-) acids in pre-ferments (Cole, Helmke, and Pence) 357
Radioactive tracer studies with glycine-1-^{14}C (Liau and Lee) 706
with sucrose-^{14}C (Lee and Chen) 695
Bread crust, flavor fraction of; adsorbed by cation exchange resin (Morimoto and Johnson) 627
Browning reaction, in bread
Flavor fraction adsorbed by cation exchange resin (Morimoto and Johnson) 627
With glycine-1-^{14}C (Liau and Lee) 706
With sucrose-^{14}C (Lee and Chen) 695
Bulgur
Gun-puffing of wheat (Ferrel, Shepherd, Thielking, and Pence) 529
Moisture equilibrium of (Ferrel, Shepherd, Thielking, and Pence) 136
Butanol-1; for flour extraction by mixtures with water (Bloksma) 602

Cake(s) (see also **Cake flour**)
Fats in; performance (Matthews and Dawson) 538
Mixes, see **Cake flour,** Premixes
Cake flour, premixes; optimal levels of emulsifiers (MacDonald and Bly) 571
Calcium salts of fatty acid-lactic acid condensates; analysis

(Jurriens, Recourt, and Klootwijk) 669
Carbohydrates, general; content of soybean proteins (Wolf, Sly, and Kwolek) 80
Carbohydrates, specific, see main entries for:
Glucose
Isomaltose
Maltose
Oligosaccharides
Panose
Pentosans
Polysaccharides
Saccharides
Sucrose
Sugars
Carbon-14
Glycine-1-^{14}C; fate of, in breadmaking (Liau and Lee) ... 706
Sucrose-^{14}C, fate of, in breadmaking (Lee and Chen) .. 695
Chlorine, see under **Flour improvers**
Chromatography
For amino acid composition of flours (Tkachuk) 207
Column-, on cellulose of soybean protease (Weil, Pinsky, and Grossman) 392
For enzymatic starch conversion (Cayle and Viebrock) 237
Of flour proteins by gel filtration (Meredith and Wren) 169
Gas-liquid (GLC), for detn. of corn syrup components (Brobst and Lott) 35
Gas and paper; for flavor fraction of bread crust (Morimoto and Johnson) 627
Ion-exchange column-, for fractionation of wheat gliadin (Huebner and Wall) 325
For ion-exchange separation of flour proteins (Clayton) .. 495
For saccharide distribution of corn syrup (Huber, Scobell, and Tai) 342
Of soybean proteins on hydroxylapatite (Wolf, Sly, and Kwolek) 80
Thin-layer, of ether-extractables from flour (Ponte, Titcomb, DeStefanis, and Cotton) .. 475
For tracer studies
fate of glycine-1-^{14}C during breadmaking (Liau and Lee) 706
fate of sucrose-^{14}C during breadmaking (Lee and Chen) 695
Continuous mix process of breadmaking: pre-ferments; keto (alpha-) acids in (Cole, Helmke, and Pence) 357
Cookies, diameter of, see under **Cookie flour**
Cookie flour; tailings subfractions of, effect on cookie diameter (Sollars and Bowie) 244
Corn
Endosperm, germ, and kernel; moisture relations (Shelef and Mohsenin) 347
Milling of, low-moisture; tempering procedures compared (Brekke) 303
Oil recovery in tempering procedures (Brekke) 303
Syrup
components in, detn. by GLC of trimethylsilyl derivatives (Brobst and Lott) 35
percent fermentables in, rapid detn. (Kim) 313
saccharide distribution of, by densitometry of chromatograms (Huber, Scobell, and Tai) 342
Corn starch, see **Starch,** Corn
Cow cockle, starch from; possible commercial use (Goering and Brelsford) 127

D-enzyme; transferase in barley malt similar to (French and Abdullah) 555
Damaged starch, see under **Starch**
Dehydrogenase(s) of wheat: qualitative study (Honold, Farkas, and Stahmann) 517
Disulfide linkages; sulfhydryl interchange studies (Sullivan and Dahle) 373
Disulfide-sulfhydryl interchange; effect of pH on –SH groups and rheological properties of dough (Tsen) 456
Dough(s) (see also following **Dough** entries; **Extensigraph, Farinograph, Mixograph** studies)
Colloid titration of (Yoshino and Matsumoto) 187
Effect of pH on –SH groups and rheological properties (Tsen) 456
Gassing power of; inhibiting effect of –SH-blocking agents and flour improvers (Tsen) 486
Improvers, see **Dough improvers; Flour improvers**
Mixing of
effect of spring settings and absorption on mixograms (Shuey and Gilles) 94
recording mixer, electronic (Voisey, Miller, and Kloek) 408, 420, 433, 438

under nitrogen; sulfhydryl content (Mecham and Knapp) 226
Properties after flour extraction with butanol-1-water mixtures (Bloksma) 602
Rheology of
effect of pH on dough (Tsen) 456
effect of spring settings and absorption on mixograms (Shuey and Gilles) 94
Thioctic acid in; weakening action (Dahle and Hinz) 682
Dough conditioners; analysis of calcium salts of fatty acid-lactic acid condensates (Jurriens, Recourt, and Klootwijk) 669
Dough improvers
Disulfide-sulfhydryl interchange studies on wheat flour (Sullivan and Dahle) 373
Effect of hexane (Ponte, Titcomb, DeStefanis, and Cotton) 475
Drying of rice; variability in lab. milling yields (Schultz, Pominski, and Wasserman) .. 284
Egg whites, dried and liquid; detection of whipping aids in (Kogan and Strezleck) 470
Electrophoresis
For characterization of wheat beta-amylase (Tkachuk and Tipples) 62
On gliadin fractions, for isolation of high-MW protein (Beckwith, Nielsen, Wall, and Huebner) 14
For nonstarchy polysaccharides and proteins of soft wheat flour tailings (Upton and Hester) 156
Emulsifiers in cake mix shortenings; detn. of optimal levels (MacDonald and Bly) 571
Endosperm of wheat (subaleurone); separation; protein content (Kent) 585
Enzyme(s), general (see also **Enzymes,** specific)
For glucose syrup production from grains; use in fermentations (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) 658
Hydrolases of wheat germ (Stauffer and Glass) ... 644
Hydrolyzing wheat gluten (Verma and McCalla) 28
Lipolytic and proteolytic; activity in fermentation of wheat for tempeh (Wang and Hesseltine) 563
Oxidation-reduction, of wheat; qualitative study (Honold, Farkas, and Stahmann) ... 517
For starch conversion; application of Mathews' formula (Cayle and Viebrock) 237
Systems, in flour, affected by flour improvers and –SH-blocking agents (Tsen) ... 486
Enzymes, specific; see entries for:
Amylase, alpha- and beta-
Amyloglucosidase
D-enzyme
Dehydrogenase
Esterase
Glucoamylase
Hydrolase
Isoenzymes
Isomaltose
Lipase
Protease
Pullulanase
Transferase
Transglucosidase
Tributyrinase
Urease
Erratum, for Vol. 43, No. 3, p. 336 (Harald Perten) 625
Esterase of wheat germ; enzymatic and proteinaceous characteristics (Stauffer and Glass) 644
Extensigraph studies; disulfide-sulfhydryl interchange (Sullivan and Dahle) 373

Falling number method, for detn. of alpha-amylase in malt (Medcalf, Tombetta, Banasik, and Gilles) 675
Farinograph studies
–SH contents of doughs mixed under nitrogen (Mecham and Knapp) 226
For weakening action of thioctic acid (Dahle and Hinz) 682
Fat(s)
In cake; performance, physical measurements (Matthews and Dawson) 538
In doughs; effect of hexane (Ponte, Titcomb, DeStefanis, and Cotton) 475
Fatty acids, condensates of, lactic acid-; analysis of calcium salts of (Jurriens, Recourt, and Klootwijk) 669
Feeds
Protein from; solubilization and recovery (Fellers, Sinkey, Shepherd, and Pence) 1
Protein concentrates from (wheat), by dry-milling

(Fellers, Shepherd, Bellard, and Mossman) 715
Supplement (potential use); insolubles from enzymolysis of starch in cereal grains (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) 658

Fermentation
Glucose syrup used in; enzymatically converted (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) 658
By Rhizopus, for tempeh from wheat (Wang and Hesseltine) 563

Fiber
Reduction of, in wheat millfeed flours (Fellers, Shepherd, Bellard, and Mossman) ... 715
Soybean; formation of (Kelley and Pressey) 195

Flavor of bread; flavor fraction of bread crust adsorbed by cation exchange resin (Morimoto and Johnson) 627

Flour (wheat, unless specified; see also following **Flour** entries)
Amino acids in; availability, (HRS, HRW wheat) (Hepburn, Calhoun, and Bradley) 271
Amino acid composition (HRS, HRW, durum wheat) (Tkachuk) 207
Amylase (alpha-) activity in; colorimetric method for detn. (Perten) 336
Bleaching of, see **Bleaching of flour**
Cake, see **Cake flour**
Colloid titration of (Yoshino and Matsumoto) 187
Cookie, see **Cookie flour**
Cookie diameter study (HRW, Wh wheat) (Sollars and Bowie) 244
Disulfide-sulfhydryl interchange studies (spring-winter wheat blend) (Sullivan and Dahle) 373
Effect of hexane in doughs (HRW wheat) (Ponte, Titcomb, DeStefanis, and Cotton) 475
Enzyme systems affected by –SH-blocking agents and flour improvers (HRS wheat) (Tsen) 486
Extraction by butanol-1-water mixtures (Bloksma) 602
Fractions, see **Flour fractions;** specific fractions
Kinetics of acid modification (HRW, SWW wheat) (Lancaster, Moulton, and Conway) 689
Lipids of (HRS, HRW wheat) (Stevan and Houston) 353
Nitrogen-to-protein conversion factor for (HRS, HRW, durum wheat) (Tkachuk) .. 223
Proteins of
extraction and ion-exchange separation (HRS, durum, SW wheat) (Clayton) 495
molecular-weight distribution in (Meredith and Wren) .. 169
Quality of
measured by flour disk reflectance (HRS, HRW, wheat) (Johnson) 461
recording dough mixer (electronic) for (Voisey, Miller, and Kloek) . 408, 420, 433, 438
–SH content of doughs mixed under nitrogen (HRS, HRW wheat) (Mecham and Knapp) 226
Thioctic acid in doughs; weakening action (HRS wheat) (Dahle and Hinz) 682
For tracer study in bread
with glycine-1-^{14}C (HRS wheat) (Liau and Lee) ... 706
with sucrose-^{14}C (HRS wheat) (Lee and Chen) 695

Flour fractions (see also specific fractions)
Endosperm, subaleurone and inner; separated by air-classification and sedimentation (Kent) 585
From millfeeds, dry-milled; protein concentrates from (HRS wheat) (Fellers, Shepherd, Bellard, and Mossman) 715
Tailings (soft wheat); proteins and polysaccharides of (Upton and Hester) 156
Tailings subfractions; effect on cookie diameter (Sollars and Bowie) 244

Flour improvers
Chlorine; mechanism of starch depolymerization (Whistler, Mittag, and Ingle) 362
Disulfide-sulfhydryl interchange studies (Sullivan and Dahle) 373
Effects of, on gassing power, yeast activity, and some flour enzyme systems (Tsen) 486
Effect of hexane in doughs (Ponte, Titcomb, DeStefanis, and Cotton) 475

Flour disk reflectance; measure of breadmaking quality (Johnson) 461
Fractionation
Of flour, see **Flour fractions**
Of gliadin proteins (Huebner and Wall) 325

Gassing power, affected by –SH-blocking agents and flour improvers (Tsen) 486
Gel filtration, for barley proteases; purification (Burger, Prentice, Kastenschmidt, and Huddle) 546
Germ of wheat, glycerol ester hydrolases of (Stauffer and Glass) 644
Gliadin
Fractionation by ion exchange chromatography (Huebner and Wall) 325
Gel filtration of, for isolation of high-MW protein (Beckwith, Nielsen, Wall, and Huebner) 14
Optical rotatory dispersion of, in acetic acid and Al lactate systems (Cluskey and Wu) 119
Protein from wheat (high-MW), isolation by gel filtration (Beckwith, Nielsen, Wall, and Huebner) 14
Glucoamylase, from Aspergillus spp. (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) . 658
Glucose
Bread crust flavor produced by reaction of, with proline (Morimoto and Johnson) .. 627
From enzymatic starch conversion by Mathews' formula (Cayle and Viebrock) 237
Syrup from grains; enzymatic production and use in fermentations (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) 658
Gluten
Amino acids in; availability (Hepburn, Calhoun, and Bradley) 271
Enzymatic hydrolysis of (Verma and McCalla) 28
In flour; extraction and ion-exchange chromatography (Clayton) 495
Optical rotatory dispersion of, in acetic acid and Al lactate systems (Cluskey and Wu). 119
Properties after flour extraction with butanol-1-water mixtures (Bloksma) 602
Glutenin; optical rotatory dispersion of, in acetic acid and Al lactate systems (Cluskey and Wu) 119
Glycine-1-^{14}C; fate of, as tracer in breadmaking (Liau and Lee) 706
Glycogen, debranched by pullulanase (Abdullah, Catley, Lee, Robyt, Wallenfels, and Whelan) 111
Grain(s) (see also specific grains); glucose syrup from; enzymatic production, and use in fermentations (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) 658
Grain sorghum, see **Sorghum**

Hydrogen-ion concentration; effect of, on –SH groups and rheological properties of dough (Tsen) 456
Hydrolase, glycerol ester-, of wheat germ (Stauffer and Glass) . 644
p-Hydroxymercuribenzoate (PHMB); affecting gassing power, yeast activity, and flour enzyme systems (Tsen) 486
Hysteresis; effects of, in moisture equilibrium of bulgur (Ferrel, Shepherd, Thielking, and Pence) 136

Iodine-blue test for rice (revised) (Hall and Johnson) 297
Isoenzymes; dehydrogenases, of wheat, qualitative study (Honold, Farkas, and Stahmann) 517
Isomaltose
By-product of starch enzymolysis (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) . 658
From enzymatic starch conversion by Mathews' formula (Cayle and Viebrock) 237

Kinetics of acid modification of flour and corn starch (Lancaster, Moulton, and Conway) 689

Light reflectance of dough (pressed disk) as flour quality measure (Johnson) 461
Lipase
Activity in wheat fermentation for tempeh (Wang and Hesseltine) 563
Of wheat germ; enzymatic and proteinaceous characteristics (Stauffer and Glass) 644

Lipids
In doughs; effect of hexane on (Ponte, Titcomb, DeStefanis, and Cotton) 475
Extraction from flour (Bloksma) 602
In flour; polar and nonpolar (Stevan and Houston) 353
Hydrolysis of (Stauffer and Glass) 644
Of tailings; effect on cookie diameter (Sollars and Bowie) 244

Maillard reaction, see **Browning reaction**
Maize, see **Corn**
Maleimides, N-ethyl- and N-phenyl-; affecting gassing power, yeast activity, and flour enzyme systems (Tsen) 486
Malt
Amylase (alpha-) detn. in; rapid procedure (Medcalf, Tombetta, Banasik, and Gilles) 675
Transferase activity in (French and Abdullah) 555
Maltose from enzymatic starch conversion by Mathews' formula (Cayle and Viebrock) 237
Mathews' formula for enzymatic starch conversion (Cayle and Viebrock) 237
Methionine in soybeans, vs. protein level (Krober and Cartter) 320
Methods
For alpha-amylase activity detn. (colorimetric) (Perten) 336
Detn. of alpha-amylase in malt (Medcalf, Tombetta, Banasik, and Gilles) 675
Detn. of percent fermentables (Kim) 313
Iodine-blue test for rice (revised) (Hall and Johnson) . 297
Microscopic studies of endosperm breakdown in HRW wheat (Wolf, Kwolek, and McCarthy) 43
Mill products (wheat unless specified)
Feeds; dry-milled to yield protein concentrates (Fellers, Shepherd, Bellard, and Mossman) 715
Protein from; solubilization and recovery (Fellers, Sinkey, Shepherd, and Pence) 1
Millfeeds, see **Feeds**
Milling; effect of grinding on solubility of protein from wheat millfeeds (Fellers, Sinkey, Shepherd, and Pence) 1
Milling, experimental
Barley; anatomical parts separated from pearling byproducts (Novacek, Petersen, and Slinkard) 384
Corn; tempering procedures compared (Brekke) 303
Millfeeds (wheat)
effect of grinding on solubility of proteins from (Fellers, Sinkey, Shepherd, and Pence) 1
to yield protein concentrates (Fellers, Shepherd, Bellard, and Mossman) 715
Rice; sources of variability in yields (Schultz, Pominski, and Wasserman) 284
Wheat; dry separation of subaleurone endosperm (Kent) 585
Mixograph studies; effect of spring settings and absorption (Shuey and Gilles) 94
Moisture
In corn; relations in kernel, germ, and endosperm (Shelef and Mohsenin) 347
In corn (low); procedures for tempering compared (Brekke) 303
Effect of, on protein recovery from wheat millfeeds (Fellers, Shepherd, Bellard, and Mossman) 715
Equilibrium, in bulgur (Ferrel, Shepherd, Thielking, and Pence) 136
Influence on soybean cooking rates (Albrecht, Mustakas, and McGhee) 400
In wheat; gun-puffing of wheat and bulgur (Ferrel, Shepherd, Thielking, and Pence) 529
Molecular weight
Distribution in wheat flour proteins (Meredith and Wren) . 169
Of gliadin fractions, by gel filtration (Beckwith, Nielsen, Wall, and Huebner) 14

Niacin, in tempeh from wheat (Wang and Hesseltine) ... 563
Nitrogen; protein conversion factor for flour (Tkachuk) 223
Nitrogen solubility index, vs. soybean strains (Smith, Rackis, Isnardi, Cartter, and Krober) 261
NSI, see **Nitrogen solubility index**
Nutritive value
Of amino acids in wheat, flour,

bread, and gluten (Hepburn, Calhoun, and Bradley) ... 271
Of millfeeds (wheat); dry-milled to yield protein concentrates (Fellers, Shepherd, Bellard, and Mossman) ... 715
Of protein (alkaline-extracted) from wheat millfeeds (Fellers, Sinkey, Shepherd, and Pence) ... 1
Of sorghum varieties, vs. wheat (Lamb, Michie, and Rivers) 447

Oligosaccharides
Debranched by pullulanase (Abdullah, Catley, Lee, Robyt, Wallenfels, and Whelan) 111
Enzyme action on (French and Abdullah) ... 555
Optical rotatory dispersion of wheat proteins in acetic acid and Al lactate systems (Cluskey and Wu) ... 119
Oven gases (vapors); in tracer study with sucrose-^{14}C (Lee and Chen) ... 695
Oxidation of starch; mechanism of depolymerization with chlorine (Whistler, Mittag, and Ingle) ... 362
Oxidation-reduction enzymes of wheat; qualitative study (Honold, Farkas, and Stahmann) ... 517

Panose, from enzymatic starch conversion by Mathews' formula (Cayle and Viebrock) .. 237
Pastes, corn starch, alkaline; power-law rheology (Lancaster, Conway, and Schwab) 637
Pentosans, of tailings; effect on cookie diameter (Sollars and Bowie) ... 244
pH, see **Hydrogen-ion concentration**
PHMB, see **p-Hydroxymercuribenzoate**
Phosphate groups; distribution in commercial starch (Gramera, Heerema, and Parrish) ... 104
Polysaccharides
Amylaceous, alpha-1→6-bonds in, hydrolyzed by pullulanase (Abdullah, Catley, Lee, Robyt, Wallenfels, and Whelan) ... 111
Nonstarchy, of soft wheat flour tailings (Upton and Hester) 156
Pentosans of tailings; effect on cookie diameter (Sollars and Bowie) ... 244
Pre-ferments, see **Continuous mix process of breadmaking**
Proline; bread crust flavor produced by reaction with glucose (Morimoto and Johnson) ... 627
Protease(s)
Activity in wheat fermentation for tempeh (Wang and Hesseltine) ... 563
From barley (germinated); partial purification (Burger, Prentice, Kastenschmidt, and Huddle) ... 546
Of soybeans; properties and purification (Weil, Pinsky, and Grossman) ... 392
Protein(s) (see also individual proteins)
Amino acids; availability in wheat, flour, bread, and gluten (Hepburn, Calhoun, and Bradley) ... 271
Concentrates, see **Protein concentrates**
Denaturation rate in soybeans in steam and boiling water (Albrecht, Mustakas, and McGhee) ... 400
Of flour
amino acid composition (Tkachuk) ... 207
extraction and ion-exchange separation (Clayton) ... 495
molecular-weight distribution in (Meredith and Wren) .. 169
nitrogen-to-protein conversion factor (Tkachuk) ... 223
Gliadin (wheat); fractionation of (Beckwith, Nielsen, Wall, and Huebner) ... 14
(Huebner and Wall) ... 325
Of millfeeds (wheat); solubilization and recovery (Fellers, Sinkey, Shepherd, and Pence) ... 1
Nonstarchy, of soft wheat flour tailings (Upton and Hester) 156
Optical rotatory dispersion of, in acetic acid and Al lactate systems (Cluskey and Wu) . 119
Recovery of, from millfeeds (wheat) (Fellers, Shepherd, Bellard, and Mossman) ... 715
In rice milling fractions; distribution (Cagampang, Cruz, Espiritu, Santiago, and Juliano) ... 145
In soybeans
carbohydrate content of (Wolf, Sly, and Kwolek) ... 80
levels of, vs. methionine con-

tent (Krober and Cartter) . 320
viscosity and solubility studies (Kelley and Pressey) 195
yield of isolated protein and whey nitrogen vs. strain (Smith, Rackis, Isnardi, Cartter, and Krober) 261
Of tailings; effect on cookie diameter (Sollars and Bowie) 244
Of wheat; colloid titration of (Yoshino and Matsumoto) . 187
Of wheat endosperm; distribution between inner and subaleurone endosperm (Kent) 585
Protein concentrates, from millfeeds (wheat), dry-milled (Fellers, Shepherd, Bellard, and Mossman) 715
Proteolytic activity in soybeans (Weil, Pinsky, and Grossman) 392
Pullulanase, hydrolyzing alpha-1→6-bonds in oligo- and polysaccharides (Abdullah, Catley, Lee, Robyt, Wallenfels, and Whelan) 111

Radioactivity studies
Glycine-1-^{14}C; fate of, during breadmaking (Liau and Lee) 706
Sucrose-^{14}C; fate of, during breadmaking (Lee and Chen) 695
Rheology of dough, see under **Dough**
Rheology of corn-starch (alkaline) pastes; power law (Lancaster, Conway, and Schwab) . 637
Rhizopus oligosporus, for making tempeh from wheat (Wang and Hesseltine) 563
Riboflavin, in tempeh from wheat (Wang and Hesseltine) . . . 563
Rice
Milling yields of (lab); sources of variability (Schultz, Pominski, and Wasserman) . . 284
Proteins of; extraction and composition studies (Cagampang, Cruz, Espiritu, Santiago, and Juliano) 145
Rice, raw milled; iodine-blue test for (revised) (Hall and Johnson) 297
Rye; amylase (alpha-) activity in; colorimetric method for detn. (Perten) 336

Saccharides of corn syrup; distribution detd. by densitometry of chromatograms (Huber, Scobell, and Tai) 342
Saponaria vaccaria; properties of starch from (Goering and Brelsford) 127
Sedimentation value; inheritance of, in two wheat crosses (Sosulski and Kaul) 623
Shortenings, cake-mix emulsifiers in; detn. of optimal levels (MacDonald and Bly) 571
Solubility fractions of rice proteins (Cagampang, Cruz, Espiritu, Santiago, and Juliano) 145
Solubility studies with soybean protein and fiber (Kelley and Pressey) 195
Solvents, organic
Butanol-1; mixed with water, for flour extraction (Bloksma) . 602
Hexane; effect in doughs (Ponte, Titcomb, DeStefanis, and Cotton) 475
Sorghum; nutritive value, vs. wheat (Lamb, Michie, and Rivers) 447
Soybean(s)
Cooking rates in steam and boiling water (Albrecht, Mustakas, and McGhee) 400
Fiber formation studies with meal (Kelley and Pressey) . 195
Protein, in meal
viscosity and solubility studies (Kelley and Pressey) 195
yields of strains (Smith, Rackis, Isnardi, Cartter, and Krober) 261
Methionine content vs. protein level (Krober and Cartter) . 320
Nitrogen solubility index of meal (Smith, Rackis, Isnardi, Cartter, and Krober) 261
Proteases of; properties and purification (Weil, Pinsky, and Grossman) 392
Proteins of; carbohydrate content (Wolf, Sly, and Kwolek) . . 80
Starch
Chlorinolysis; depolymerization (Whistler, Mittag, and Ingle) 362
Conversion in cereal grains (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) 658
Corn
amylopectin fraction; debranched by pullulanase (Abdullah, Catley, Lee, Robyt, Wallenfels, and Whelan) 111
glucose syrup from (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) 658
kinetics of acid modification (Lancaster, Moulton, and Conway) 689

pastes, alkaline; viscosity of (Lancaster, Conway, and Schwab) 637
phosphate groups of; distribution and structural form (Gramera, Heerema, and Parrish) 104
Corn, potato, rice, wheat, vs. cow-cockle; possible commercial use (Goering and Brelsford) 127
Corn, sorghum, wheat; glucose syrup from (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) 658
From cow cockle (Saponaria vaccaria); properties (Goering and Brelsford) 127
Damaged, in tailings; effect on cookie diameter (Sollars and Bowie) 244
Dusting; potential of Saponaria vaccaria (Goering and Brelsford) 127
Enzymatic hydrolysis of (Cayle and Viebrock) 237
Oxidation of; mechanism of depolymerization with chlorine (Whistler, Mittag, and Ingle) 362
-Phosphate, see **Starch phosphate**
Small-granule, of tailings; effect on cookie diameter (Sollars and Bowie) 244
Starch phosphate, commercial; distribution and structural form (Gramera, Heerema, and Parrish) 104
Statistical study; emulsifiers in cake mix shortenings, for optimal levels (MacDonald and Bly) 571
Stress in dough, see **Dough, Rheology of**
Sucrose-^{14}C; fate of, during breadmaking (Lee and Chen) ... 695
Sugars
Corn syrup components detd. by GLC of trimethylsilyl derivatives (Brobst and Lott) .. 35
Fermentable; detn. of (Kim) ... 313
Sulfhydryl content of doughs mixed under nitrogen (Mecham and Knapp) 226
Sulfhydryl groups
Disulfide interchange studies (Sullivan and Dahle) 373
(Dahle and Hinz) 682
Of dough; effect on pH (Tsen) . 456
Sulfhydryl-blocking agents (see also **Sulfhydryl groups**)
Effect(s) of, on gassing power, yeast activity, and some flour enzyme systems (Tsen) 486
Surface-active agents; effect of, on extraction and association of flour proteins (Meredith and Wren) 169
Syrup
Corn, see under **Corn**
Glucose; enzymatic production from grains; use in fermentations (Cadmus, Jayko, Hensley, Gasdorf, and Smiley) 658

Tempeh, from wheat (Wang and Hesseltine) 563
Temperature
Effect of
in moisture equilibrium of bulgur (Ferrel, Shepherd, Thielking, and Pence) 136
on protein solubilization in wheat millfeeds (Fellers, Sinkey, Shepherd, and Pence) 1
Tempering of corn, low-moisture; procedures compared (Brekke) 303
Titration (colloid), of wheat proteins, dough, and flour (Yoshino and Matsumoto) 187
Transferase activity in barley malt (French and Abdullah) 555
Transglucosidase for starch conversion, by Mathews' formula (Cayle and Viebrock) 237
Triacetin in egg whites; detection of (Kogan and Strezleck) . 470
Tributyrinase of wheat germ; enzymatic and proteinaceous characteristics (Stauffer and Glass) 644
Triethyl citrate, in egg whites; detection of (Kogan and Strezleck) 470
Trimethylsilyl derivatives of corn syrup, components in (Brobst and Lott) 35
Trypsin inhibitor; destruction in soybeans during cooking (Albrecht, Mustakas, and McGhee) 400

Ultracentrifuge studies, with soybean protein and fiber (Kelley and Pressey) 195
Urea, for extracting flour proteins (Meredith and Wren) 169
Urease activity; destruction rate during soybean cooking (Albrecht, Mustakas, and McGhee) 400

Varietal studies
Sorghum; nutritive value, vs. wheat (Lamb, Michie, and Rivers) 447
Wheat
effect of spring settings and absorption on mixograms (Shuey and Gilles) 94
inheritance of sedimentation value in two crosses (Sosulski and Kaul) 623
Viscosity
Of alkaline pastes (starch) (Lancaster, Conway, and Schwab) 637
Studies with soybean protein and fiber (Kelley and Pressey) . 195
Vitamins (see also individual vitamins); in tempeh from wheat (Wang and Hesseltine) 563

Wheat; class or classes (if stated) are given in parentheses
Amino acids in (HRS, HRW); availability (Hepburn, Calhoun, and Bradley) 271
Amylase (alpha-) activity in; colorimetric method for detn. (Perten) 336
Breeding of; inheritance of sedimentation value in two crosses (Sosulski and Kaul) 623
Conditioned (HRW); endosperm breakdown in, microscopic evaluation (Wolf, Kwolek, and McCarthy) 43
Endosperm, subaleurone and inner (HRS, HRW, SRW, SW); separation and protein detn. (Kent) 585
Endosperm breakdown in (HRW); microscopic evaluation (Wolf, Kwolek, and McCarthy) 43
Enzymes of (oxidation-reduction) (HRS, HRW); qualitative study (Honold, Farkas, and Stahmann) 517
Feeds
dry-milled to yield protein concentrates (HRS) (Fellers, Shepherd, Bellard, and Mossman) 715
protein solubilization and recovery in (HRS); (Fellers, Sinkey, Shepherd, and Pence) 1
Germ of; glycerol ester hydrolases of (Stauffer and Glass) 644
Gliadin fractionation (HRW) (Huebner and Wall) 325
Gluten (HRS); enzymatic hydrolysis of (Verma and McCalla) 28
Gun-puffing of (HRW) (Ferrel, Shepherd, Thielking, and Pence) 529
Millfeeds, see under **Feeds**
Nutritive value, vs. sorghum (Lamb, Michie, and Rivers) 447
Proteins of (HRW); optical rotatory dispersion in acetic acid and Al lactate systems (Cluskey and Wu) 119
Quality data via mixograph studies (Shuey and Gilles) 94
Sedimentation value (HRS, HRW); inheritance in two crosses (Sosulski and Kaul) 623
For tempeh (HRS) (Wang and Hesseltine) 563
Whipping aids; triethyl citrate and triacetin; detection of in egg whites (Kogan and Strezleck) 470

Yeast activity; affected by -SH-blocking agents and flour improvers (Tsen) 486
Yeasted and unyeasted doughs; weakening action of thioctic acid in (Dahle and Hinz) .. 682

CEREAL CHEMISTRY

Published by The American Association of Cereal Chemists, Inc.

Editor-in-Chief ..... K. A. GILLES
Managing Editor ..... MERRILL J. BUSCH
Business Manager ..... RAYMOND J. TARLETON
Assistant Editor ..... EUNICE R. BROWN

Editorial Board:

HOWARD E. BAUMAN
WALTER BUSHUK
SIDNEY M. CANTOR
MEADE C. HARRIS
NORMAN E. LLOYD
C. C. NIMMO
SUTTON REDFERN
ALLAN K. SMITH
DONALD E. SMITH
MICHAEL J. WOLF

VOLUME 43, NOS. 1–6

JANUARY–NOVEMBER, 1966

Minneapolis, Minnesota

1966

Jones Press, Inc., Minneapolis, Minn.

CONTENTS

NUMBER 1, JANUARY, 1966

PAGE

Solubilization and Recovery of Protein from Wheat Millfeeds. *David A. Fellers, Vernon Sinkey, Allan D. Shepherd, and James W. Pence* 1

Isolation and Characterization of a High-Molecular-Weight Protein from Wheat Gliadin. *A. C. Beckwith, H. C. Nielsen, J. S. Wall, and F. R. Huebner* 14

Enzymatic Hydrolysis of Dispersed Wheat Gluten. *S. C. Verma and A. G. McCalla* 28

Determination of Some Components in Corn Syrup by Gas-Liquid Chromatography of the Trimethylsilyl Derivatives. *K. M. Brobst and C. E. Lott, Jr.* 35

Quantitative Microscopic Evaluation of Endosperm Breakdown in Conditioned Hard Red Winter Wheat. *M. J. Wolf, W. F. Kwolek, and J. R. McCarthy* .. 43

Wheat Beta-Amylases. II. Characterization. *R. Tkachuk and K. H. Tipples* ... 62

Carbohydrate Content of Soybean Proteins. *W. J. Wolf, Dayle Ann Sly, and W. F. Kwolek* 80

Effect of Spring Settings and Absorption on Mixograms for Measuring Dough Characteristics. *W. C. Shuey and K. A. Gilles* 94

Distribution and Structural Form of Phosphate Ester Groups in Commercial Starch Phosphates. *Robert E. Gramera, Jacob Heerema, and F. W. Parrish* . 104

The Mechanism of Carbohydrase Action. XI. Pullulanase, an Enzyme Specific for the Hydrolysis of Alpha-1→6-Bonds in Amylaceous Oligo- and Polysaccharides. *M. Abdullah, B. J. Catley, E. Y. C. Lee, J. Robyt, K. Wallenfels, and W. J. Whelan* 111

Optical Rotatory Dispersion of Wheat Gluten, Gliadin, and Glutenin in Acetic Acid and Aluminum Lactate Systems. *J. E. Cluskey and Y. V. Wu* 119

New Starches. I. The Unusual Properties of the Starch from *Saponaria vaccaria*. *K. J. Goering and D. L. Brelsford* 127

Moisture Equilibrium of Bulgur. *Robert E. Ferrel, Allan D. Shepherd, Roy Thielking, and James W. Pence* 136

Editorial Policy and Suggestions to Authors 143

NUMBER 2, MARCH, 1966

Studies on the Extraction and Composition of Rice Proteins. *Gloria B. Cagampang, Lourdes J. Cruz, Salvador G. Espiritu, Remedios G. Santiago, and Bienvenido O. Juliano* 145

Nonstarchy Polysaccharides and Proteins of Soft Wheat Flour Tailings. *Elizabeth M. Upton and E. Elizabeth Hester* 156

Determination of Molecular-Weight Distribution in Wheat-Flour Proteins by Extraction and Gel Filtration in a Dissociating Medium. *O. B. Meredith and J. J. Wren* 169

Colloid Titration of Wheat Proteins, Dough, and Flour. *D. Yoshino and H. Matsumoto* 187

Studies with Soybean Protein and Fiber Formation. *John J. Kelley and Russell Pressey* 195

Amino Acid Composition of Wheat Flours. *R. Tkachuk* 207
Note on the Nitrogen-to-Protein Conversion Factor for Wheat Flour. *R. Tkachuk* 223
The Sulfhydryl Content of Doughs Mixed under Nitrogen. *D. K. Mecham and Cheryl Knapp* 226
The Application of Mathews' Formula in Enzymatic Starch Conversions. *T. Cayle and F. Viebrock* 237
Effect of the Subfractions of Starch Tailings on Cookie Diameter. *William F. Sollars and Sheila MacLeod Bowie* 244
Nitrogen Solubility Index, Isolated Protein Yield, and Whey Nitrogen Content of Several Soybean Strains. *A. K. Smith, J. J. Rackis, P. Isnardi, J. L. Cartter, and O. A. Krober* 261
Editorial Policy 270

Number 3, May, 1966

The Biological Availability of Essential Amino Acids in Wheat, Flour, Bread, and Gluten. *Frank N. Hepburn, William K. Calhoun, and William B. Bradley* 271
Sources of Variability in Laboratory Milling Yields of Long-Grain Rice-Drying Experiments. *E. Fred Schultz, Jr., Joseph Pominski, and Theodore Wasserman* 284
A Revised Starch-Iodine Blue Test for Raw Milled Rice. *Vernon L. Hall and Jimmy R. Johnson* 297
Corn Dry-Milling: A Comparison of Several Procedures for Tempering Low-Moisture Corn. *O. L. Brekke* 303
A Rapid Method to Determine Percent Fermentables. *Yee S. Kim* 313
Relation of Methionine Content to Protein Levels in Soybeans. *Orland A. Krober and J. L. Cartter* 320
Improved Chromatographic Separation of Gliadin Proteins on Sulfoethyl Cellulose. *F. R. Huebner and J. S. Wall* 325
A Colorimetric Method for the Determination of Alpha-Amylase Activity (ICC Method). *Harald Perten* 336
Determination of Saccharide Distribution of Corn Syrup by Direct Densitometry of Thin-Layer Chromatograms. *C. N. Huber, H. Scobell, and Han Tai* 342
Moisture Relations in Germ, Endosperm, and Whole Corn Kernel. *Leora Shelef and Nuri N. Mohsenin* 347
A Note on Polar and Nonpolar Lipids in Hard Red Spring and Hard Red Winter Wheat Flours. *Mary Ann Stevan and David F. Houston* 353
Alpha-Keto Acids in Bread Pre-Ferments. *Earl W. Cole, Verna Helmke, and James W. Pence* 357
Mechanism of Starch Depolymerization with Chlorine. *Roy L. Whistler, T. W. Mittag, and T. R. Ingle* 362
Editorial Policy 372

Number 4, July, 1966

Disulfide-Sulfhydryl Interchange Studies of Wheat Flour. I. The Improving Action of Formamidine Disulfide. *Betty Sullivan and L. K. Dahle* 373

A Separation of Anatomical Parts of Barley from the By-Products of Barley Pearling. *E. J. Novacek, C. F. Petersen, and A. E. Slinkard* 384
The Proteases of the Soybean. *Jair Weil, Alex Pinsky, and Shlomo Grossman* 392
Rate Studies on Atmospheric Steaming and Immersion Cooking of Soybeans. *W. J. Albrecht, G. C. Mustakas, and J. E. McGhee* 400
An Electronic Recording Dough Mixer. I. The Apparatus. *Peter W. Voisey, H. Miller, and M. Kloek* 408
An Electronic Recording Dough Mixer. II. An Experimental Evaluation. *Peter W. Voisey, H. Miller, and M. Kloek* 420
An Electronic Recording Dough Mixer. III. Additional Methods of Recording. *Peter W. Voisey, H. Miller, and M. Kloek* 433
An Electronic Recording Dough Mixer. IV. Applications in Farinography. *Peter W. Voisey, H. Miller, and M. Kloek* 438
A Comparison of the Nutritive Value of Three Sorghum Grains with That of Wheat. *Mina W. Lamb, Jonnie M. Michie, and Jerry M. Rivers* 447
A Note on Effects of pH on Sulfhydryl Groups and Rheological Properties of Dough and Its Implication with the Sulfhydryl-Disulfide Interchange. *C. C. Tsen* 456
Flour Disk Reflectance as a Measure of Breadmaking Quality. *Robert M. Johnson* 461
Detection of Triethyl Citrate and Triacetin in Liquid and Dried Egg Whites. *L. Kogan and S. Strezleck* 470
Editorial Policy 474

Number 5, September, 1966

Effect of Hexane in Doughs Made with Different Flours, with and without Added Fat. *J. G. Ponte, Jr., S. T. Titcomb, V. A. DeStefanis, and R. H. Cotton* 475
Effects of Sulfhydryl-Blocking Agents and Flour Improvers on Gassing Power, Yeast Activity, and Some Flour Enzyme Systems. *C. C. Tsen* 486
The Extraction and Ion-Exchange Chromatography of Buffer-Soluble and Gluten Proteins of Wheat Flour. *James W. Clayton* 495
The Oxidation-Reduction Enzymes of Wheat. I. A. Qualitative Investigation of the Dehydrogenases. *G. R. Honold, G. L. Farkas, and M. A. Stahmann* 517
Gun-Puffing Wheat and Bulgur. *R. E. Ferrel, A. D. Shepherd, R. H. Thielking, and J. W. Pence* 529
Performance of Fats in White Cake. *Ruth H. Matthews and Elsie H. Dawson* .. 538
Partial Purification of Proteases from Germinated Barley. *W. C. Burger, Neville Prentice, Jeannine Kastenschmidt, and John David Huddle* 546
Transferase Activity in Malt Amylase Preparations. *Dexter French and Mukhtar Abdullah* 555
Wheat Tempeh. *Hwa L. Wang and C. W. Hesseltine* 563
Determination of Optimal Levels of Several Emulsifiers in Cake Mix Shortenings. *Ira A. MacDonald and Douglas A. Bly* 571
Subaleurone Endosperm Cells of High Protein Content. *N. L. Kent* 585
Extraction of Flour by Mixtures of Butanol-1 and Water. *A. H. Bloksma* 602
A Note on the Inheritance of Sedimentation Value in Two Wheat Crosses. *F. W. Sosulski and A. K. Kaul* 623
Erratum 625
Editorial Policy and Suggestions to Authors 626

NUMBER 6, NOVEMBER, 1966

Studies on the Flavor Fraction of Bread Crust Adsorbed by Cation Exchange Resin. *Teruhiko Morimoto and John A. Johnson* 627
Power-Law Rheology of Alkaline Starch Pastes. *E. B. Lancaster, H. F. Conway, and F. Schwab* 637
The Glycerol Ester Hydrolases of Wheat Germ. *C. E. Stauffer and R. L. Glass* 644
Enzymatic Production of Glucose Syrup from Grains and Its Use in Fermentations. *M. C. Cadmus, L. G. Jayko, D. E. Hensley, Helen Gasdorf, and K. L. Smiley* 658
Analysis of Calcium Salts of Fatty Acid-Lactic Acid Condensates. *G. Jurriens, J. H. Recourt, and Aagje Hendrika Klootwijk* 669
A Rapid Procedure for Alpha-Amylase Determination in Malt. *D. G. Medcalf, E. E. Tombetta, O. J. Banasik, and K. A. Gilles* 675
The Weakening Action of Thioctic Acid in Unyeasted and Yeasted Doughs. *L. K. Dahle and R. S. Hinz* 682
Kinetics of Acid Modification: Starch and Wheat Flour. *E. B. Lancaster, K. J. Moulton, and H. F. Conway* 689
Studies with Radioactive Tracers. IX. The Fate of Sucrose-^{14}C during Breadmaking. *C. C. Lee and Ching-Hong Chen* 695
Studies with Radioactive Tracers. X. The Fate of Glycine-1-^{14}C during Breadmaking. *Y. H. Liau and C. C. Lee* 706
Protein Concentrates by Dry Milling of Wheat Millfeeds. *David A. Fellers, Allan D. Shepherd, Nancy J. Bellard, and Albert P. Mossman* 715
Editorial Policy and Suggestions to Authors 726
Index to Volume LXIII 727